


FB 22141.83 (GA143)



FBGERU


FB 22141.83 (GA143)

2,205 lb, 141' / 83'





Hydraulic A)-Axle (chassis)

CRANE WEIGHT:
39,690 LB (18,000 kg)



Standard B)-Axle (tower)

CRANE WEIGHT:
38,260 LB (17,351 kg)



3.5°	RAD	Ft.	46	52	66	76	92	105	118	131	141
	CAP	Lbs	8,820	7,497	5,698	4,410	3,682	3,129	2,708	2,302	2,205

Creative Lifting Services Inc.

303-659-8102

www.creativelifting.com

MECCANISMI

MECANISMOS — MECHANISMS

ANTRIEBE — MÉCANISMES

MOVIMENTO MOVIMIENTO MOVEMENT BEWEGUNG MOUVEMENT	ALIMENTAZIONE ALIMENTACION OPERATING VOLTAGE BETRIEBSSPANNUNG TENSION DE SERVICE	PRESTAZIONI FUNCIONAMIENTOS PERFORMANCES LEISTUNGEN EXÉCUTIONS	
---	---	---	--

SOLLEVAMENTO ELEVACION — HOISTING HEBEN — LEVAGE INVERTER	400 V 50 Hz		1 ^a m/1' - kg	2 ^a m/1' - kg	3 ^a m/1' - kg	4 ^a m/1' - kg	kW 15
			4	16	34	46	
			4000	4000	2000	1000	

CARRELLO CARRILLO — JIB TROLLEY LAUFKATZE — DISTRIBUTION INVERTER	400 V 50 Hz		1 ^a m/1'	2 ^a m/1'	3 ^a m/1'	kW 3
			18	30	56	

ROTAZIONE ROTACION — SLEWING DREHEN — ORIENTATION INVERTER	400 V 50 Hz		1 ^a g/1'	2 ^a g/1'	3 ^a g/1'	kW 3
			0 → 0.15	0.15 → 0.45	0.45 → 0.85	



Conforme alle direttive
CEE sul livello acustico
2000/14/CE

Conforme con las directivas
CEE sobre el nivel acustico

In compliance with the EEC
instructions on noise level

Gemäss EWG-Richtlinien für
den Schall-Leistungspegel

Conforme aux directives CEE
sur le niveau acoustique

CURVE DI CARICO

CURVAS DE CARGAS — LOAD DIAGRAMS

LASTKURVEN — COURBES DE CHARGES

V43

	m	3.5	5	14	16	18	20	22	23.2	26	28	30	32	34	36	38	40	41	43
	kg	4000			3400	2940	2584	2300	2000	1828	1670	1536	1419	1317	1228	1148	1076	1044	1000

	m	3.5	5	10	20	22	23.2	24	26	28	30	32	34	36	38	39	40	41	42.7
	kg	2000						1960	1795	1639	1505	1389	1288	1199	1120	1084	1049	1016	1000

	m	3.5	5	10	20	22	23.8	26	28	30	32	34	36	41.9					
	kg	1000																	

POTENZA RICHIESTA

POTENCIA-ELECTRICA NECESARIA — NECESSARY ELECTRIC POWER

KRAFTBEDARF — PUISSANCE ELECTRIQUE NECESSAIRE

	SOLLEVAMENTO ELEVACION — HOISTING — HEBEN — LEVAGE	kg 4000
	14 kw 400 V - 50 Hz	

GA 143

Con riserva di modifiche
documento commerciale
non vincolante

Derecho de modificaciones reservadas
documento comercial no contractual


Subject to change without notice
commercial document not legally
binding

Anderungen vorbehalten
Unverbindliches
Vertriebsdokument


Modifications réservées
document commercial
non contractuel

TRASPORTO TRANSPORTE — TRANSPORT
TRANSPORT — TRANSPORT


5
km/h



25
km/h



MONTAGGIO MONTAJE — ERECTION
MONTAGE — MONTAGE



FBGRW FB 22141.83 GA143

2,205 lb / 141' / 83'

Hydraulic Outriggers



Creative Lifting Services Inc.

303-659-8102 creativelifting.com