

EPAUS
...the people who care

Material Elevators

Easy - Easy Big



STRONG. STABLE. DURABLE.
EVERY DAY.

EASY

The "small" elevator with all the functions of the "big one"!


HELPFUL



COMPACT




FLEXIBLE



STABLE



MAINTENANCE-FREE



- Lifting height up to 18 metres
- Payload 250 kg (550 lbs)
- HONDA four-stroke gas, air-cooled
- Chassis with cataphoretic painting plus powder coating
- Adjustable base extension
- Hydraulic raising and extension of the rails
- Adjustable wheels at the headpiece
- Carriage with automatic rope breakage safety mechanism

TECHNICAL DATA	18 WH-M
Number of profiles	1 – 5
Profile length	4,200 mm (13 ft 9 in)**
Extended length	4.4 – 18 m (14 ft 5 in to 59 ft)**
Total weight (basic equipment)	750 kg (1,653lbs)**
Transport length	5,300 mm (17 ft 4 in)**
Transport width	1,360 mm (4 ft 6 in)**

**that stats are approximate dimensions


EASY BIG

Compact,
strong and
universal!


POWERFUL



USER-FRIENDLY



MAINTENANCE-FREE



QUIET



STABLE



- Lifting height up to 31 metres
- Payload 300kg/400kg (660/880 lbs)
- HONDA four-stroke gas, air-cooled
- Adjustable base extension
- Steadily adjustable turntable arresting device
- Adjustable wheels at the headpiece
- Automatic neutral position of carriage
- Carriage with automatic rope breakage safety mechanism
- Furniture platform with snap locking device, endlessly rotatable and retractable into the building

TECHNICAL DATA	31 WH-M	28 WH-KI
Number of profiles	1 - 7	2 - 7
Profile length	5,000 mm (16 ft 5 in)**	5,000 mm (16 ft 5 in)**
Extended length	5 - 31 m (16 ft to 101 ft)**	5.25 - 28 m (17 ft 3in to 91 ft 10 in)**
Total weight (basic equipment)	1,790 kg (3,946 lbs)**	1,630 kg (3,593 lbs)**
Transport length	6,850 mm (22 ft 6 in)**	6,650 mm (21 ft 10 in)**
Transport width	1,800 mm (71 in)**	1,800 mm (71 in)**

**that stats are approximate dimensions

Serie

ACCESSORIES



Bowden cable remote control




Gravel bucket




Work lights with spot light and scattered light



Hydraulic heavy-duty wheel drive



Wheels at head section adjustable





PAUS



MAX 50KG

EPAUS

Paus

Worldwide







Strong. Stable. Durable. Every day.

- Reliability and durability in every situation
- Sufficient performance and power for every application
- Agility and speed even in narrow space
- Reliability in the best quality

We care

We inspire as a preferred, innovative partner with individual solutions for transport and safety of humans and material.

As a specialist for complete and special solutions Paus offers an extensive range of machines for mining and tunneling, lift technology and construction machinery since 1968.

Paus means „Quality Made in Germany“

PAUS NORTH AMERICA INC.

29001 Solon Rd. Unit L
44139 Solon, OH
USA

sales@paus-na.com
www.paus-na.com

Follow us

